T-897 P.014/020 F-966

Appl. No. 09/471093

May-18-04 ·

## Amendments to the Drawings:

Sheets 2 of 5 and 4 of 5 have been amended.

Figure 2 on sheet 2 of 5 has been amended to correct the numerical identifier of "Section Overhead" from 44 to 42 and to correct the numerical identifier of "Line Overhead" from 42 to 44.

The same amendment has been made to Figure 4 on sheet 4 of 5.

Attachment: Replacement Sheets

Annotated Sheets

Appln. No. 09/471093

Method and Apparatus for Establishing Dedicated Local Area Network (LAN)

Connections in an Optical Transmission Network

REPLACEMENT SHEET

2/5





FIG. 2

Appln. No. 09/471093

Method and Apparatus for Establishing Dedicated Local Area Network (LAN)

Connections in an Optical Transmission Network

REPLACEMENT SHEET



6132328440

T-897 P.019/020 F-966

Appln. No. 09/471093


Method and Apparatus for Establishing Dedicated Local Area Network (LAN)

Connections in an Optical Transmission Network

ANNOTATED SHEET SHOWING CHANGES

2/5

0K



Appln. No. 09/471093

Method and Apparatus for Establishing Dedicated Local Area Network (LAN) Connections in an Optical Transmission Network ANNOTATED SHEET SHOWING CHANGES

4/5 FLAG SPARE 8 5 5 5 34 **UG2** ₽. 32 8 35 **ETHERNET PACKET** 문 **WAYSIDE RX** 8 DATA 9 BYTES 192 STS-1 SPARE 部へ 34 PROTOCOL **UG1** HEADER 88 8 90 BYTES-SRC MAC WAYSIDE TX 125 usec 5 86 **DEST MAC** FLAG **FRAMING** CHANGED REFERENCE NUMBER ROM 44 TO 4: CHANGED REFERENCE NUMBER ROM 42 TO 4

PAGE 20/20 \* RCVD AT 5/18/2004 2:25:51 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-1/3 \* DNIS:8729306 \* CSID:6132328440 \* DURATION (mm-ss):05-56